

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Previously Presented) An air-refrigerant cooling apparatus comprising:
 - a compressor compressing refrigerant air;
 - a heat exchanger cooling said refrigerant air discharged from said compressor;
 - an expansion turbine expanding said refrigerant air discharged from said heat exchanger;
 - a defroster removing moisture from said refrigerant air discharged from said expansion turbine;
 - a cooled chamber supplied with said refrigerant air from said defroster, said refrigerant air discharged from said cooled chamber being supplied to said compressor;
 - a cooled chamber bypass pipe allowing said refrigerant air discharged from said defroster to bypass said cooled chamber and to enter a pipe connected to an outlet of said cooled chamber; and
 - a defrosting bypass pipe branched from a pipe connected to an outlet of said compressor to supply said defroster with said refrigerant air from a point upstream of the heat exchanger directly to the defroster.
2. (Original) The air-refrigerant cooling apparatus according to claim 1, further comprising:
 - a heat exchanger bypass pipe bypassing said heat exchanger to introduce said refrigerant from said compressor to said expansion turbine.

3. (Original) The air-refrigerant cooling apparatus according to claim 1, further comprising: a device measuring a pressure in said defroster.
4. (Original) The air-refrigerant cooling apparatus according to claim 1, further comprising: a defroster drying mechanism exchanging moisture-including air within said defroster with external air.
5. (Original) The air-refrigerant cooling apparatus according to claim 4, wherein said defroster drying mechanism includes a fan discharging air within said defroster.
6. (Original) The air-refrigerant cooling apparatus according to claim 4, wherein said defroster drying mechanism includes:
 - a suction pipe disposed at a position experiencing a relatively low pressure within a pipe system provided for said air-refrigerant cooling apparatus to communicate with the outside of said pipe system, and
 - a discharge pipe disposed at a position experiencing a relatively high pressure within said pipe system to communicate with the outside of said pipe system.
7. (Original) The air-refrigerant cooling apparatus comprising:
 - a compressor compressing refrigerant air;
 - a heat exchanger cooling said refrigerant air discharged from said compressor;
 - an expansion turbine expanding said refrigerant air discharged from said heat exchanger;
 - a defroster removing moisture from said refrigerant air discharged from said expansion turbine;
 - a cooled chamber supplied with said refrigerant air from said defroster, said

refrigerant air discharged from said cooled chamber being supplied to said compressor; and

a defroster drying mechanism exchanging moisture-including air within said defroster with external air.

8. (Original) The air-refrigerant cooling apparatus according to claim 7, wherein said defroster drying mechanism includes a fan discharging air within said defroster.

9. (Original) The air-refrigerant cooling apparatus according to claim 7, wherein said defroster drying mechanism includes:

a suction pipe disposed at a position experiencing a relatively low pressure within a pipe system provided for said air-refrigerant cooling apparatus to communicate with the outside of said pipe system, and

a discharge pipe disposed at a position experiencing a relatively high pressure within said pipe system to communicate with the outside of said pipe system.

10. (Previously Presented) A transport apparatus comprising:

an air-refrigerant cooling apparatus including:

a compressor compresses refrigerant air;

a heat exchanger cooling said refrigerant air discharged from said compressor;

an expansion turbine expanding said refrigerant air discharged from said heat exchanger;

a defroster removing moisture from said refrigerant air discharged from said expansion turbine;

a cooled chamber supplied with said refrigerant air from said defroster, said refrigerant air discharged from said cooled chamber being supplied to said

compressor;

a cooled chamber bypass pipe allowing said refrigerant air discharged from said defroster to bypass said cooled chamber and to enter a pipe connected to an outlet of said cooled chamber; and

a defrosting bypass pipe branched from a pipe connected to an outlet of said compressor to supply said defroster with said refrigerant air from a point upstream of the heat exchanger directly to the defroster.

11. (Previously Presented) A transport apparatus comprising:

an air-refrigerant cooling apparatus including:

a compressor compresses refrigerant air;

a heat exchanger cooling said refrigerant air discharged from said compressor;

an expansion turbine expanding said refrigerant air discharged from said heat exchanger;

a defroster removing moisture from said refrigerant air discharged from said expansion turbine;

a cooled chamber supplied with said refrigerant air from said defroster, said refrigerant air discharged from said cooled chamber being supplied to said compressor; and

a defroster drying mechanism exchanging moisture-including air within said defroster with external air.

12. (Previously Presented) A method for operating an air-refrigerant cooling apparatus including:

a compressor compressing refrigerant air;

a heat exchanger cooling said refrigerant air discharged from said compressor;

an expansion turbine expanding said refrigerant air discharged from said

heat exchanger;

a defroster removing moisture from said refrigerant air discharged from said expansion turbine;

a cooled chamber supplied with said refrigerant air from said defroster, said refrigerant air discharged from said cooled chamber being supplied to said compressor;

a cooled chamber bypass pipe allowing said refrigerant air discharged from said defroster to bypass said cooled chamber and to enter a pipe connected to an outlet of said cooled chamber; and

a defrosting bypass pipe branched from a pipe connected to an outlet of said compressor to supply said defroster with said refrigerant air from a point upstream of the heat exchanger directly to the defroster, said method comprising:

placing said air-refrigerant cooling apparatus into selected one of a plurality of operation modes including a cooling operation mode for cooling said cooled chamber, and a defrosting mode for defrosting said defroster;

in response to said air-refrigerant cooling apparatus being placed into said cooling operation mode, opening valves disposed on an inlet and outlet of said cooled chamber, and closing a valve disposing in said defrosting bypass line; and

in response to said air-refrigerant cooling apparatus being placed into said defrosting operation mode, closing said valves disposed on said inlet and outlet of said cooled chamber, and opening said valve disposing in said defrosting bypass line, with a motor for driving said compressor and said expansion turbine operated at a rotational speed lower than that for said cooling operation mode.

13. (Original) The method according to claim 12, wherein said air-refrigerant cooling apparatus further includes a heat exchanger bypass pipe bypassing said heat exchanger to introduce said refrigerant from said compressor to said expansion turbine, and said method further comprising:

opening a valve disposed in said heat exchanger bypass pipe and closing a

valve introducing said refrigerant air discharged from said compressor into said heat exchanger, when said air-refrigerant cooling apparatus is placed into said defrosting operation mode.

14. (Original) The method according to claim 12, wherein said air-refrigerant cooling apparatus further includes a device measuring a pressure in said defroster, and said method further comprising:

switching said air-refrigerant cooling apparatus from said cooling operation mode to said defrosting operation mode in response to said measured pressure.

15. (New) The air-refrigerant cooling apparatus according to claim 1, further comprising a water cooled heat exchanger upstream of the first said heat exchanger.

16. (New) The air-refrigerant cooling apparatus according to claim 15, wherein the defrosting bypass pipe branches from between the water cooled heat exchanger and the first said heat exchanger.

17. (New) The air-refrigerant cooling apparatus according to claim 15, wherein the first said heat exchanger exchanges heat between refrigerant flowing from the compressor and refrigerant flowing to the compressor.

18. (New) The air-refrigerant cooling apparatus according to claim 10, further comprising a water cooled heat exchanger upstream of the first said heat exchanger.

19. (New) The air-refrigerant cooling apparatus according to claim 18, wherein the defrosting bypass pipe branches from between the water cooled heat exchanger and the first said heat exchanger.

20. **(New)** The air-refrigerant cooling apparatus according to claim 18, wherein the first said heat exchanger exchanges heat between refrigerant flowing from the compressor and refrigerant flowing to the compressor.